ELSEVIER

Analytica Chimica Acta 512 (2004) 375–377

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

# Author Index

Abbaspour, A.
— and Kamyabi, M.A.
Characterization and determination of stability constants of copper(II)–L-histidine complexation system by using multivariate curve resolution method of visible spectra and two hard modeling methods in aqueous solutions 257
Abe, Y., see Li, L. 121
Aleixo, P.C.
—, Júnior, D.S., Tomazelli, A.C., Rufini, I.A., Berndt, H. and Krug, F.J.
Cadmium and lead determination in foods by beam injection flame furnace atomic absorption spectrometry after ultrasound-assisted sample preparation 329
Alimonti, A., see Bocca, B. 19
Arancibia, J.A.
—, Rullo, A., Olivieri, A.C., Nezio, S.D., Pistonesi, M., Lista, A. and Band, B.S.F.
Fast spectrophotometric determination of fluoride in ground waters by flow injection using partial least-squares calibration 157

Band, B.S.F., see Arancibia, J.A. 157
Baskali, N.
—, Gaillard, F., Lanteri, P. and Roucoules, V.
Compositional changes between free coatings and surface coating layers during mechanochemical process. An IR-based chemometric analysis 231
Bastida, J., see Parejo, I. 271
Berndt, H., see Aleixo, P.C. 329
Berzas Nevado, J.J., see Rodríguez Flores, J. 287
Bichinho, K.M.
—, Pires, G.P., dos Santos, J.H.Z., de Camargo Forte, M.M. and Wolf, C.R.
Determination of Mg, Ti and Cl in Ziegler-Natta catalysts by WDXRF 359
Bocca, B.
—, Alimonti, A., Cristaudo, A., Cristallini, E., Petrucci, F. and Caroli, S.
Monitoring of the exposure to platinum-group elements for two Italian population groups through urine analysis 19
Boopathi, M.
—, Won, M.-S. and Shim, Y.-B.
A sensor for acetaminophen in a blood medium using a Cu(II)-conducting polymer complex modified electrode 191
Bulatov, V., see Hassoon, S. 125

Cabello Díaz, M.P., see Rodríguez Flores, J. 287
Caroli, S., see Bocca, B. 19
Catalá Icardo, M., see Palomeque, M. 149
Cavrini, V., see Gatti, R. 85
Ceelen, L., see De Baere, S. 75
Champ, M.M., see Moreau, N.M. 305
Chen, G.-N., see Zhuang, H.-S. 347
Chen, H.-Y., see Luo, Y.-L. 57
Choi, J.-W., see Kitamura, K. 27
Choi, Y.H.
—, Kim, H.K., Wilson, E.G., Erkelens, C., Trijzelaar, B. and Verpoorte, R.
Quantitative analysis of retinol and retinol palmitate in vitamin tablets using $^1$H-nuclear magnetic resonance spectroscopy 141
Codina, C., see Parejo, I. 271
Contento Salcedo, A.M., see Rodríguez Flores, J. 287
Cristallini, E., see Bocca, B. 19
Cristaudo, A., see Bocca, B. 19
Croubels, S., see De Baere, S. 75

De Backer, P., see De Baere, S. 75
De Baere, S.
—, Pille, F., Croubels, S., Ceelen, L. and De Backer, P.
High-performance liquid chromatographic-UV detection analysis of ceftiofur and its active metabolite desfuroylceftiofur in horse plasma and synovial fluid after regional intravenous perfusion and systemic intravenous injection of ceftiofur sodium 75
de Camargo Forte, M.M., see Bichinho, K.M. 359
de la Guardia, M., see Ródenas-Torralba, E. 215
Delépée, R., see Moreau, N.M. 305
dos Santos, J.H.Z., see Bichinho, K.M. 359
Du, Y.P., see Kasemsumran, S. 223
Dumon, H.J., see Moreau, N.M. 305

Eklöv, T., see Tomic, O. 199
Erkelens, C., see Choi, Y.H. 141

Fariña, J.B., see Oliva, A. 103
Featherstone, A.M.
—, Townsend, A.T., Jacobson, G.A. and Peterson, G.M.
Comparison of methods for the determination of total selenium in plasma by magnetic sector inductively coupled plasma mass spectrometry 319
Fragkaki, A.G.
—, Koupparis, M.A. and Georgakopoulos, C.G.
Quantitative structure–retention relationship study of $\alpha$-, $\beta_1$-, and $\beta_2$-agonists using multiple linear regression and partial least-squares procedures 165
Freitag, R., see Szekely, L. 39
Frenzel, W., see Miró, M. 311

Gaillard, F., see Baskali, N. 231
Galezowska, E., see Juskowiak, B. 133
García Bautista, J.A., see Palomeque, M. 149
García Mateo, J.V., see Palomeque, M. 149
Garrigues, S., see Ródenas-Torralba, E. 215
Gatti, R.
—, Gioia, M.G. and Cavrini, V.
Determination of *Cinchona* alkaloids and Vitamin $B_6$ by high-performance liquid chromatography with fluorescence detection 85
Georgakopoulos, C.G., see Fragkaki, A.G. 165
Ghasemi, J., see Khajehsharifi, H. 369
Gioia, M.G., see Gatti, R. 85
Grzybowska, I., see Juskowiak, B. 133
Gu, J., see Zhang, W. 207

Hashimoto, S., see Kitamura, K. 27
Hassoon, S.
—, Bulatov, V., Yasman, Y. and Schechter, I.
Fluorescence monitoring of ultrasound degradation processes 125

doi:10.1016/S0003-2670(04)00523-9

Haugen, J.-E., see Tomic, O. 199
He, Y.-Z., see Jiang, H.-L. 111
Hennion, M.-C., see Robillot, C. 339
Hu, X., see Liu, Q. 93
Hu, Y.-Y., see Jiang, H.-L. 111
Huang, J.-H.
— and Ilgen, G.
Blank values, adsorption, pre-concentration, and sample preservation for arsenic speciation of environmental water samples 1
Huang, J.-L., see Zhuang, H.-S. 347
Huehne, M., see Kasemsumran, S. 223

Ilgen, G., see Huang, J.-H. 1
Imai, K., see Li, L. 121
Ioele, G., see Ragno, G. 173
Ito, H., see Kitamura, K. 27

Jacobson, G.A., see Featherstone, A.M. 319
Jakubowska, M.
— and Kubiak, W.W.
Adaptive-degree polynomial filter for voltammetric signals 241
Jiang, H.-L.
—, He, Y.-Z., Zhao, H.-Z. and Hu, Y.-Y.
Determination of chlorogenic acid and rutin in cigarettes by an improved capillary electrophoresis indirect chemiluminescence system 111
Jin, L., see Zhang, W. 207
Júnior, D.S., see Aleixo, P.C. 329
Juskowiak, B.
—, Grzybowska, I., Galezowska, E. and Takenaka, S.
Enhanced fluorescence of the $Eu^{3+}$–naphthalenediimide derivative–phenanthroline ternary complex and the determination of DNA 133

Kamyabi, M.A., see Abbaspour, A. 257
Kanagawa, K., see Li, L. 121
Kasemsumran, S.
—, Du, Y.P., Murayama, K., Huehne, M. and Ozaki, Y.
Near-infrared spectroscopic determination of human serum albumin, γ-globulin, and glucose in a control serum solution with searching combination moving window partial least squares 223
Khajehsharifi, H.
—, Mousavi, M.F., Ghasemi, J. and Shamsipur, M.
Kinetic spectrophotometric method for simultaneous determination of selenium and tellurium using partial least squares calibration 369
Kim, H.K., see Choi, Y.H. 141
Kitamura, K.
—, Takazawa, Y., Hashimoto, S., Choi, J.-W., Ito, H. and Morita, M.
Effective extraction method for dioxin analysis from lipid-rich biological matrices using a combination of pressurized liquid extraction and dimethyl sulfoxide/acetonitrile/hexane partitioning 27
Komorsky-Lovrić, Š., see Pavlova, V. 49
Korte, E.-H., see Valcárcel, M. 181
Koupparis, M.A., see Fragkaki, A.G. 165
Krug, F.J., see Aleixo, P.C. 329
Kubiak, W.W., see Jakubowska, M. 241
Kvaal, K., see Tomic, O. 199

Lanteri, P., see Baskali, N. 231
Le Bizec, B., see Moreau, N.M. 305
Li, L.
—, Abe, Y., Kanagawa, K., Usui, N., Imai, K., Mashino, T., Mochizuki, M. and Miyata, N.
Distinguishing the 5,5-dimethyl-1-pyrroline *N*-oxide (DMPO)-OH radical quenching effect from the hydroxyl radical scavenging effect in the ESR spin-trapping method 121
Liang, S.-C., see Wang, H. 281
Lista, A., see Arancibia, J.A. 157
Liu, Q.
—, Hu, X. and Xie, J.
Determination of nerve agent degradation products in environmental samples by liquid chromatography–time-of-flight mass spectrometry with electrospray ionization 93
Liu, X.
—, Ma, L. and Lu, Y.-T.
Determination of phosphoamino acids by micellar electrokinetic capillary chromatography with laser-induced fluorescence detection 297
Llabrés, M., see Oliva, A. 103
Lu, Y.-T., see Liu, X. 297
Luo, X.-L.
—, Xu, J.-J., Zhao, W. and Chen, H.-Y.
Ascorbic acid sensor based on ion-sensitive field-effect transistor modified with $MnO_2$ nanoparticles 57

Ma, L., see Liu, X. 297
Maccà, C.
Response time of ion-selective electrodes. Current usage versus IUPAC recommendations 183
Martin, L.J., see Moreau, N.M. 305
Martínez Calatayud, J., see Palomeque, M. 149
Mary Gladis, J., see Metilda, P. 63
Mashino, T., see Li, L. 121
Maume, D., see Moreau, N.M. 305
Metilda, P.
—, Mary Gladis, J. and Prasada Rao, T.
Influence of binary/ternary complex of imprint ion on the preconcentration of uranium(VI) using ion imprinted polymer materials 63
Minakata, K.
— and Suzuki, O.
New molybdenum compound suitable for determination by electron paramagnetic resonance 355
Mirčeski, V., see Pavlova, V. 49
Miró, M.
— and Frenzel, W.
Investigation of chemical effects on the performance of flow-through dialysis applied to the determination of ionic species 311
Mitrevski, B., see Pavlova, V. 49
Miyata, N., see Li, L. 121
Mochizuki, M., see Li, L. 121
Morales-Rubio, Á., see Ródenas-Torralba, E. 215
Moreau, N.M.
—, Delépée, R., Maume, D., Le Bizec, B., Nguyen, P.G., Champ, M.M., Martin, L.J. and Dumon, H.J.
Rapid measurement of $^{13}C$-enrichment of acetic, propionic and butyric acids in plasma with solid phase microextraction coupled to gas chromatography–mass spectrometry 305
Morita, M., see Kitamura, K. 27
Mousavi, M.F., see Khajehsharifi, H. 369
Murayama, K., see Kasemsumran, S. 223

Nezio, S.D., see Arancibia, J.A. 157
Nguyen, P.G., see Moreau, N.M. 305

Oliva, A.
—, Fariña, J.B. and Llabrés, M.
Measurement of uncertainty in peptide molecular weight determination using size-exclusion chromatography with multi-angle laser light-scattering detection and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry 103
Olivieri, A.C., see Arancibia, J.A. 157
Ozaki, Y., see Kasemsumran, S. 223

Palomeque, M.
—, García Bautista, J.A., Catalá Icardo, M., García Mateo, J.V. and Martínez Calatayud, J.

Photochemical-chemiluminometric determination of aldicarb in a fully automated multicommutation based flow-assembly 149
Parejo, I.
—, Viladomat, F., Bastida, J. and Codina, C.
Development and validation of a high-performance liquid chromatographic method for the analysis of antioxidative phenolic compounds in fennel using a narrow bore reversed phase $C_{18}$ column 271
Pavlova, V.
—, Mirčeski, V., Komorsky-Lovrić, Š., Petrovska-Jovanović, S. and Mitrevski, B.
Studying electrode mechanism and analytical determination of cocaine and its metabolites at the mercury electrode using square-wave voltammetry 49
Peterson, G.M., see Featherstone, A.M. 319
Petrovska-Jovanović, S., see Pavlova, V. 49
Petrucci, F., see Bocca, B. 19
Pille, F., see De Baere, S. 75
Pires, G.P., see Bichinho, K.M. 359
Pistonesi, M., see Arancibia, J.A. 157
Prasada Rao, T., see Metilda, P. 63

Ragno, G.
—, Ioele, G. and Risoli, A.
Multivariate calibration techniques applied to the spectrophotometric analysis of one-to-four component systems 173
Risoli, A., see Ragno, G. 173
Robillot, C.
— and Hennion, M.-C.
Issues arising when interpreting the results of the protein phosphatase 2A inhibition assay for the monitoring of microcystins 339
Ródenas-Torralba, E.
—, Ventura-Gayete, J., Morales-Rubio, Á., Garrigues, S. and de la Guardia, M.
Multicommutation Fourier transform infrared determination of benzene in gasoline 215
Rodríguez Flores, J.
— Berzas Nevado, J.J., Contento Salcedo, A.M. and Cabello Díaz, M.P.
Non-aqueous capillary zone electrophoresis method for the analysis of paroxetine, tamoxifen, and their main metabolites in urine 287
Roucoules, V., see Baskali, N. 231
Rufini, I.A., see Aleixo, P.C. 329
Rullo, A., see Arancibia, J.A. 157

Schechter, I., see Hassoon, S. 125
Shamsipur, M., see Khajehsharifi, H. 369
Shim, Y.-B., see Boopathi, M. 191
Smrkolj, P.
— and Stibilj, V.
Determination of selenium in vegetables by hydride generation atomic fluorescence spectrometry 11
Stibilj, V., see Smrkolj, P. 11
Suzuki, O., see Minakata, K. 355
Szekely, L.
— and Freitag, R.
Fabrication of a versatile microanalytical system without need for clean room conditions 39

Takazawa, Y., see Kitamura, K. 27
Takenaka, S., see Juskowiak, B. 133
Tomazelli, A.C., see Aleixo, P.C. 329
Tomic, O.
—, Eklöv, T., Kvaal, K. and Haugen, J.-E.
Recalibration of a gas-sensor array system related to sensor replacement 199
Townsend, A.T., see Featherstone, A.M. 319
Trijzelaar, B., see Choi, Y.H. 141

Usui, N., see Li, L. 121

Valcárcel, M.
— and Korte, E.-H.
The Division of Analytical Chemistry of the Federation of European Chemical Societies and Professional Institutions (FECS). European Analytical Column No. 32 (January 2004) 181
Ventura-Gayete, J., see Ródenas-Torralba, E. 215
Verpoorte, R., see Choi, Y.H. 141
Viladomat, F., see Parejo, I. 271

Wan, F., see Zhang, W. 207
Wang, H.
—, Liang, S.-C., Zhang, Z.-M. and Zhang, H.-S.
3-Iodoacetylaminobenzanthrone as a fluorescent derivatizing reagent for thiols in high-performance liquid chromatography 281
Wang, J., see Zhang, W. 207
Wilson, E.G., see Choi, Y.H. 141
Wolf, C.R., see Bichinho, K.M. 359
Won, M.-S., see Boopathi, M. 191

Xie, J., see Liu, Q. 93
Xie, Y., see Zhang, W. 207
Xu, J.-J., see Luo, X.-L. 57

Yamamoto, K., see Zhang, W. 207
Yasman, Y., see Hassoon, S. 125

Zagorodni, A.A.
Evaluation of results obtained by analysis of fractions 251
Zhang, H.-S., see Wang, H. 281
Zhang, W.
—, Wan, F., Xie, Y., Gu, J., Wang, J., Yamamoto, K. and Jin, L.
Amperometric determination of (*R*)-salsolinol, (*R*)-*N*-methylsalsolinol and monoamine neurotransmitters with liquid chromatography using functionalized multi-wall carbon nanotube modified electrode in Parkinson's patients' cerebrospinal fluid 207
Zhang, Z.-M., see Wang, H. 281
Zhao, H.-Z., see Jiang, H.-L. 111
Zhao, W., see Luo, X.-L. 57
Zhuang, H.-S.
—, Huang, J.-L. and Chen, G.-N.
Synthesis of a new biacridine and its use as the chemiluminescent probe for immunoassay of carcinoembryonic antigen 347